

Game-changing performance.



For over 14 years, CASHFLOW[®] AE Series validators have delivered unmatched levels of security and reliability.

Security

Whether your machines take high-value notes or single dollars, the security of AE Series validators is never compromised.

MEI engineers have employed advanced algorithms on the validator's control board to ensure counterfeit currency is kept at bay. Fully encased optical sensors use multiple wavelengths to validate each bill, ensuring the highest levels of security in your application.

Security doesn't stop at bill acceptance. The MEI Coupon Program for CASHFLOW validators utilizes special inks, paper and coding to ensure that the only coupons accepted by your machines will be yours.

Reliability

At MEI, we know your customers carry notes that are wrinkled, wet, damp, even torn. The non-contact sensors of the AE Series ensure that street-quality bills are virtually always accepted, and that jams are a non-issue. The validator's design even helps to prevent water ingress.

With over 3 million installs in the field, CASHFLOW is the validator that operators have come to rely on to be their point of difference.

The MEI CASHFLOW® AE Series

If your amusement applications require versatility – various payment types, different mixes of bills, or an incentive program – MEI has a solution for you.

Win with Modularity

The AE Series has an extensive portfolio of bezels to meet your machine needs and types. This includes an armored bezel that stands up to harsh treatment and break-ins, and the CASHFLOW 4-in-1 bezel that accepts cash, cards, coupons and contactless payment. The new clear bezel option will add a unique and modern look to your machines.



Armored Bezel Downstacker Bezel 4-in-1 Bezel
*Additional bezel options available

With an MEI-provided API (application programming interface) development package, you can develop your own PC software to interface with MEI CASHFLOW validators, including credit card acceptance, via serial or USB Ports.

As location sales grow, choose from a variety of cashbox sizes to meet the demand. MEI cashboxes have dual side-door entry, easy one-button removal, and locking hasp options.



Win with a Reward Program

The MEI Coupon Program for CASHFLOW validators offers a rewarding experience for operators and consumers alike. It's customizable and easy to use.

A Winning Experience

MEI validators have the lowest total cost of ownership in the industry. Keep your machines running with less maintenance and fewer service calls. Benefit from features that make a difference to your bottom line.



AE2400

- Validates \$1, \$2 and \$5 bills
- Upstacker and downstacker configurations available
- 12V battery powered option available
- Interface: Pulse



AE2600

- Validates \$1, \$2, \$5, \$10 and \$20 bills
- Upstacker and downstacker configurations available
- 12V battery powered option available
- Interfaces: MEI Serial Protocol (EBDS), MDB, NISR; Multiple Pulse for Gaming/Retail and Vending

AE2800

- Validates \$1, \$2, \$5, \$10, \$20, \$50 and \$100 bills
- Upstacker and downstacker configurations available
- Interfaces: MEI Serial Protocol (EBDS), MDB, NISR; Multiple Pulse for Gaming/Retail and Vending




Battery NOT included

AE 12V Battery Powered

- Available with AE2400, AE2600 configurations
- Interface: Isolated and Non-Isolated Pulse (NIPT)
- Operates in sleep mode when not in use
- Wakes up in 0.4 seconds when a bill is inserted—up to 3X faster than the competition
- Uses only 60uA of current while in sleep mode, extending battery life up to 50% longer than the competition
- Hot-swapping batteries do not require validator reset
- Low-draw operational current

AE Series Model Configurations and Options



* Not all configuration options are available as finished goods. Contact your sales representative for product information and orders.

AE Series Product Specifications

Acceptance rate: 95% or Greater
Bill Insertion: 4-Way
Power Sources: 90–135VAC/60Hz or 18–28VAC/60Hz or 22VDC to 45VDC or 12VDC
Power Consumption –
Acceptance: 10W
Escrow: One Bill
Operating temperature: 5°F to 140°F (-15°C to 60°C)
Humidity: 5% to 95% Relative Humidity (non-condensing)
Warranty: 2 Years

12V Battery Specifications

Power Sources: 12VDC SLA Battery
Operating Currents –
Power saving mode: 12V, 60µA
Accepting: 289 mA (Typical Average)
Stalled: 4.0A (Peak)
 Idle Current Before Bill Inserted – 206 mA
 Idle Time Before Bill is Inserted – 401 ms

AE Options/Accessories

Part Number	Description
250066027	Locking Hasp Kit (two per box)
01-12-139	Retail/Gaming Interface

AE Magazine Options

Part Number	Description
250061016	300-Bill Magazine
250069017	500-Bill Magazine
250068021	700-Bill Magazine
250060086	1000-Bill Magazine (pack of four)

MEI Payment Systems

Your point of difference at the point of sale.



Contact MEI at:

MEI Corporate Headquarters
 1301 Wilson Drive
 West Chester, Pennsylvania 19380
 1-610-430-2700
 1-800-345-8215
www.meigroup.com



The MEI Device and MEI CASHFLOW are trademarks of MEI. Information is subject to change without notice. MEI has made every effort to ensure that the information in this document is accurate. However, we cannot be held responsible for any errors or omissions.

¹ Call MEI for other currency options

© 2012 MEI. All rights reserved. 3/12



Mixed Sources
 Cert no SW-COC-002607
 © 1996 FSC

MEI is ISO 9001:2000 Certified